

The Delphion Integrated View

Other Views:

INPADOC | Derwent...

Title:

JP8045526A2: MULTISTAGE REACTION TYPE FUEL CELL

Country:

Kind:

Α

Inventor(s):

SAITO HAJIME

Applicant/Assignee
Inquire Regarding
Licensing

ISHIKAWAJIMA HARIMA HEAVY IND CO LTD

News, Profiles, Stocks and More about this

company

JP Japan

Issued/Filed Dates:

Feb. 16, 1996 / Aug. 3, 1994

Application Number:

JP1994000181685

IPC Class:

H01M 8/04;

ECLA Code:

H01M8/04C2;

Priority Number(s):

Aug. 3, 1994 JP1994000181685

Abstract:

Purpose: To reduce the evaporation of an electrolyte and to suppress its consumption, by combining plural fuel cells, anode gas lines, a recycle line, and air feeding lines, in the condition to exercise a specific function.



Constitution: This multistage reaction type fuel cell is provided with plural fuel cells 20a, 20b, and 20c to generate the power by using an anode gas 2 including hydrogen, and a cathode gas 3 including oxygen; anode gas lines 24a ans 24b, and cathode gas lines 25a and 25b, which combine the anodes and the cathodes of the plural fuel cells 20a, 20b, and 20c in series respectively; a recycle line 26 to recirculate the cathode gas (the cathode exhaust gas) passing through the fuel cell 20c at the lowermost downstream side, to a cathode inlet side at the uppermost upstream side; and air feeding lines 27a and 27b to feed a low temperature air to the cathode gas lines 25a and 25b between fuel


cells. COPYRIGHT: (C)1996,JPO

Family:

Show known family members

Other Abstract Info:

CHEMABS 124(20)265729E CAN124(20)265729E




<u>View</u> Image

1 page

ひだいつかい ししい さいていしい ひたいしいし さいていい

Foreign References:

No patents reference this one



Nominate this for the Gallery...

<u>Subscribe</u> | <u>Privacy Policy</u> | <u>Terms & Conditions</u> | <u>FAQ</u> | <u>Site Map</u> | <u>Help</u> | <u>Contact Us</u> © 1997 - 2001 Delphion Inc.



(11) Publication number:

Generated Document.

PATENT ABSTRACTS OF JAPAN

(21) Application number: 06181685

(51) Intl. Cl.: H01M 8/04

(22) Application date: 03.08.94

(30) Priority:

(43) Date of application publication:

16.02.96

(84) Designated contracting

states:

(71) Applicant: ISHIKAWAJIMA HAF
IND CO LTD

....

(72) Inventor: SAITO HAJIME

(74) Representative:

(54) MULTISTAGE REACTION TYPE FUEL CELL

(57) Abstract:

PURPOSE: To reduce the evaporation of an electrolyte and to suppress its consumption, by combining plural fuel cells, anode gas lines, a recycle line, and air feeding lines, in the condition to exercise a specific function.

CONSTITUTION: This multistage reaction type fuel cell is provided with plural fuel cells 20a, 20b, and 20c to generate the power by using an anode gas 2 including hydrogen, and a cathode gas 3 including oxygen; anode gas lines 24a ans 24b, and cathode gas lines 25a and 25b, which combine the anodes and the cathodes of the plural fuel cells 20a, 20b, and 20c in series respectively; a recycle line 26 to recirculate the cathode gas (the cathode exhaust gas) passing through the fuel cell 20c at the

